UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/768,720	01/24/2001	Junichi Kugimiya	FUJZ 18.251	1218

26304	7590	06/24/2004

KATTEN MUCHIN ZAVIS ROSENMAN
575 MADISON AVENUE
NEW YORK, NY 10022-2585

EXAMINER
MATTIS, JASON E

ART UNIT	PAPER NUMBER
2665	3

DATE MAILED: 06/24/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1) ☐ Responsive to communication(s) filed on _____.

2a) ☐ This action is **FINAL**.   2b) ☒ This action is non-final.

3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4) ☒ Claim(s) *1-8* is/are pending in the application.

     4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5) ☐ Claim(s) _____ is/are allowed.

6) ☒ Claim(s) *1-8* is/are rejected.

7) ☐ Claim(s) _____ is/are objected to.

8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9) ☐ The specification is objected to by the Examiner.

10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.

     Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

     Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

     a) ☒ All   b) ☐ Some *   c) ☐ None of:

         1. ☒ Certified copies of the priority documents have been received.

         2. ☐ Certified copies of the priority documents have been received in Application No. _____.

         3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

     * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1) ☒ Notice of References Cited (PTO-892)

2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)

3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date *2*.

4) ☐ Interview Summary (PTO-413) Paper No(s)/Mail Date. _____ .

5) ☐ Notice of Informal Patent Application (PTO-152)

6) ☐ Other: _____.

DETAILED ACTION

Claim Rejections - 35 USC § 102

1.   The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that

form the basis for the rejections under this section made in this Office action:

> A person shall be entitled to a patent unless –
>
> (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

2.   Claims 1-3 and 7-8 are rejected under 35 U.S.C. 102(e) as being anticipated by

Wallner et al. (U.S. Pat. 6442172).

With respect to claim 1, Wallner et al. discloses a traffic control apparatus **(See**

column 4 lines 20-36 and Figure 2 of Wallner et al. for reference to a digital traffic

switch, which is a traffic control apparatus). Wallner et al. also discloses a

transmission demand generator for generating a transmission demand signal at a

predetermined intervals set for each channel **(See column 8 lines 11-24 and item 326**

Figure 3 of Wallner et al. for reference to grants, which are transmission demand

signals, being issued at predetermined intervals to a logical output queue in a

grant generation algorithm conducted by each output data flow control unit 326).

Wallner et al. further discloses a transmission demand counter for counting a generation

number of the transmission demand signal for each channel **(See column 8 lines 34-59**

of Wallner et al. for reference to grant counters that store a count of the number

of outstanding grants to count various categories of outstand grants for each

channel). Wallner et al. also discloses a priority ranking determining portion for

determining a transmission priority ranking for each channel based on a value of the

transmission demand counter (See column 8 line 60 to column 10 line 65 and

Figures 4-6 of Wallner et al. for reference to determining which current queue has

the highest priority using the grant counters as a part of the decision process as

shown in Figures 4-6). Wallner et al. further discloses transmitting a highest priority

channel designation signal which designates a transmission of a predetermined unit

data length of a highest priority channel (See column 10 lines 43-65 and Figure 6 of

Wallner et al. for reference to transmitting an information unit, ATM cell, of the

highest priority queue in response to signaling as shown in step 721). Wallner et

al. also discloses a signal that decrements the transmission demand counter

corresponding to the highest priority channel (See column 8 lines 11-24 of Wallner et

al. for reference to grants being "taken-down", or decremented, whenever a

discrete information unit from the logic output queue, which is the highest

priority queue, has arrived at the output rate buffer).

With respect to claim 2, Wallner et al, discloses that the transmission demand

generator generates the transmission demand signal as a transmission demand signal

of fixed length data at intervals corresponding to a transmission rate of each channel

(See column 8 line 60 to column 10 line 22 and Figures 4-5 of Wallner et al. for

reference to grant signals being generated for data units, which are fixed length

ATM cells, at intervals spaced apart by some time according to the transmission rate of the queues, channels). Wallner et al. also discloses that the priority ranking determination portion transmits the highest priority channel designation signal as a signal for designating a fixed length data transmission of the highest priority channel **(See column 10 lines 43-65 and Figure 6 of Wallner et al. for reference to transmitting an information unit, ATM cell that has fixed length data, of the highest priority queue in response to signaling as shown in step 721).**

With respect to claim 3, Wallner et al. discloses that the priority determination portion makes a last highest priority channel a lowest priority channel the channels whose transmission demand counter values are not "0" and determines the highest priority channel by a round-robin method in which the highest priority channel is sequentially and recursively selected **(See column 10 lines 43-55 and Figure 6 of Wallner et al. for reference to the recursive algorithm used to make priority determinations selecting the next destination IOP in a round-robin order each time a unit is be transmitted, and since only queues with a non-zero grant count are considered, the previous destination IOP is effectively the lowest priority channel among those with a grant counter values that are not 0).**

With respect to claim 7, Wallner et al. discloses that the priority ranking determination portion performs weighting to the value of the transmission demand counter to determine the transmission priority of each channel **(See column 8 lines 34-59 and column 9 lines 23-59 of Wallner et al. for reference to the priority decision making method including a limit on the amount of grants allowed for each queue**

with the limit being different for different priority queues, which means that the

priority ranking is weighted by these grant limits on the grant counters, for

example, a higher priority queue will be allowed to have more grants in a given

time that a lower priority queue).

With respect to claim 8, Wallner et al. discloses that the intervals of

transmission demand signals for each channel are set so that a total number of

transmission rates corresponding to the predetermined intervals set for each channel

does not exceed a maximum transmission rate which can be transmitted by at least one

of a transmission line and a virtual path including the channel **(See column 10 lines 23-**

42 of Wallner et al. for reference to the transmission of information units being

spaced apart by some minimum time so that the transmission rate does not

exceed a maximum transmission late that can be handled).

Claim Rejections - 35 USC § 103

3.   The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

> (a) A patent may not be obtained though the invention is not identically disclosed or described as set
> forth in section 102 of this title, if the differences between the subject matter sought to be patented and
> the prior art are such that the subject matter as a whole would have been obvious at the time the
> invention was made to a person having ordinary skill in the art to which said subject matter pertains.
> Patentability shall not be negatived by the manner in which the invention was made.

4.   Claims 4-5 are rejected under 35 U.S.C. 103(a) as being unpatentable over

Wallner et al. in view of Moss (U.S. Pat. 6469484).

With respect to claim 4, Wallner et al. does not disclose a first priority encoder which makes channels whose transmission values are not "0" valid channels an outputs a minimum channel number selected from the value channels, or outputs an invalid signal in the absence of the valid channels. Wallner et al. also does not disclose a second priority encoder which masks channels whose number are under M, the current priority channel, and outputs a minimum channel number selected from the valid channels and outputs an invalid signal in the absence of the valid channel signal. Wallner et al. further does not disclose outputting the value of the second priority encoder if the output is valid, outputting the value of the first priority channel if the output of the second priority channel is invalid, and outputting an invalid signal if the outputs of both the first and second priority encoders are invalid. Wallner et al. also does not disclose an adder, which makes the highest priority channel plus one the next highest priority channel.

With respect to claim 5, Wallner et al. does not disclose that the first and second priority encoders are composed of a single priority encoder. Wallner et al. also does not disclose a time generator and a storage portion, which stores an output result of the priority encoder to be provided to the determination portion.

Moss in the field of communications, discloses second priority encoder which masks channels whose number are under M, the current priority channel, and outputs a minimum channel number selected from the valid channels and outputs an invalid signal in the absence of the valid channel signal **(See column 6 line 36 to column 7 line 7 and Figures 2 and 6 of Moss for reference to a bit mask to mask out port bits**

which are less than or equal to the last port index searched and searching for a

valid port to transmit among the unmasked port bits). Moss also discloses a first

priority encoder which makes channels whose transmission values are not "0" valid

channels an outputs a minimum channel number selected from the value channels, or

outputs an invalid signal in the absence of the valid channels **(See column 6 line 36 to**

column 7 line 7 for reference to searching by wrapping around until a set bit is

found in the absence of a set bit being found among the unmasked bits as

previously described). Moss further discloses outputting the value of the second

priority encoder if the output is valid, outputting the value of the first priority channel if

the output of the second priority channel is invalid, and outputting an invalid signal if the

outputs of both the first and second priority encoders are invalid **(See column 6 line 36**

to column 7 line 7 for reference to outputting the result of the first masked

search, if a valid result was found, outputting the result of the second unmasked

search, if no valid result was found in the first search). Moss also discloses an

adder, which makes the highest priority channel plus one the next highest priority

channel **(See column 6 line 36 to column 7 line 7 and Figures 2 and 6 of Moss for**

reference to a bit mask to mask out port bits which are less than or equal to the

last port index searched, which means there must be some adder that changes

the value of the last port index searched each time the process is repeated).

Moss further discloses that the first and second priority encoders are composed of a

single priority encoder **(See column 4 lines 23-34 of Moss for reference to egress**

port manager, which is a single priority encoder, supporting the weighted fair

scheduler algorithm described above). Moss also discloses a time generator and a

storage portion, which stores an output result of the priority encoder to be provided to

the determination portion **(See column 6 line 33 to column 7 line 40 of Moss for**

reference to the priority port determination process of Moss resulting in the

priority port bit being stored so that the data of that port may be transmitted

next). Using the weighted fair scheduler system of Moss has the advantage of making

sure that a round-robin technique is performed in which all output ports have an equal

opportunity to transmit data to reduce the amount of congest that may accumulate at

any one output port.

It would have been obvious to one of ordinary skill in the art at the time of the

invention, when presented with the work of Moss, to combine the weighted fair

scheduler system of Moss with the transmission system and method of Wallner et al.,

with the motivation being to make sure that a round-robin technique is performed in

which all output ports have an equal opportunity to transmit data to reduce the amount

of congest that may accumulate at any one output port.

5.   Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Wallner et

al. in view of Henrion et al. (U.S. Pat. 6469982).

With respect to claim 6, Wallner et al. does not disclose data comprising

variable length data. Wallner et al. does disclose generating the transmission demand

signal as a transmission demand signal of a unit data length at predetermined intervals

corresponding to transmission rate of each channel **(See column 8 line 60 to column**

10 line 22 and Figures 4-5 of Wallner et al. for reference to grant signals being

generated for data unit, at intervals spaced apart by some time according to the

transmission rate of the queues, channels). Wallner et al. also discloses that the

priority determination transmits based on the data length of each channel and the value

of the transmission demand counter the highest priority channel designation which

designates a transmission of a highest priority channel **(See column 10 lines 43-65**

and Figure 6 of Wallner et al. for reference to transmitting an information unit of

the highest priority queue based on the grant counters and the data length of the

cells in response to signaling as shown in step 721). Wallner et al. further discloses

a signal which designates a subtraction of only a numerical value corresponding the a

length of transmitted value length data from the transmission demand counter

corresponding to the highest priority channel **(See column 8 lines 11-24 of Wallner et**

al. for reference to grants being "taken-down", or decremented, whenever a

discrete information unit from the logic output queue, which is the highest

priority queue, has arrived at the output rate buffer).

Henrion et al., in the field of communications, discloses data comprising variable

length data being transmitted from a queue using a round-robin technique **(See column**

5 liens 13-19 of Henrion et al. for reference to extending a packet transmission

system to support variable length packets). Extending a packet transmission

system to support variable length packets has the advantage of allowing a transmission

system to support a protocol that uses variable length data as well as protocols that use

fixed length data.

It would have been obvious to one of ordinary skill in the art at the time of the invention, when presented with the work of Henrion et al., to combine the use of data comprising variable length data, as suggested by Henrion et al., with the transmission system and method of Wallner et al., with the motivation being to allow a transmission system to support a protocol that uses variable length data as well as protocols that use fixed length data.

Conclusion

6.   The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Mehta et al. (U.S. Pat. 6618380) discloses a system with a round-robin method to transmit data the uses counters to control the frequency that different priority queues are visited in the round-robin technique. Stemplinger (U.S. Pat. 6512770) discloses a round-robin transmission method that uses counters for each block to define the rate that each block may transmit at.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jason E Mattis whose telephone number is (703) 305-8702. The examiner can normally be reached on M-F 8AM-4:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Huy Vu can be reached on (703) 308-6602. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

jem

HUY D. VU
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600